

Babycon

SOFT TOUCH
SURFACE

CATALOGUE 2024
COLLECTION

SOFT &
Sleek
TILE FINISH

600X1200MM | 600X600MM

GENTLE SHEEN, TIMELESS BEAUTY

Babycon Tile Finish is a specific type of finish applied to tiles that provides a smooth, soft sheen that balances between glossy and matte. Often chosen for its subtle sophistication, it offers a sleek appearance that enhances the texture and color of the tile without overwhelming the space with shine. Whether used in modern or traditional designs, this finish provides a versatile and stylish option that complements a wide range of décor styles.



SOFT SHEEN, BOLD STYLE



	SOFT TUOCH
GLOSS VALUE	15 to 17
MOH'S HARDNESS	4
ANTI -SKID VALUES	R-9

Babycon Tile Finish is the epitome of refined elegance, offering a smooth, soft sheen that perfectly balances between glossy and matte. This exquisite finish adds a touch of subtle sophistication to any space, enhancing the texture and color of the tiles without overwhelming the overall design with excessive shine. Its sleek appearance makes it an ideal choice for both modern and traditional interiors, providing a versatile and stylish option that complements a wide range of décor styles. Whether you're aiming for a minimalist look or a more ornate setting, Babycon Tile Finish delivers a timeless charm that elevates the aesthetic appeal of any room.



ELEGANT
TILES IN TWO
VERSATILE
SIZES

600x600MM
8.5 MM THICKNESS



600x1200MM
9MM THICKNESS



ELEGANCE WITH A TOUGH EDGE

The Babycon Tile Finish blends timeless elegance with exceptional resilience. These tiles not only showcase a sophisticated sheen but also excel in functionality, absorbing odors and standing up to temperature swings, UV exposure, and freezing conditions. They are also resistant to chemicals, fire, and scratches, making them as practical as they are stylish. Perfect for both residential and commercial spaces, they deliver a seamless fusion of form and function.



KITCHENS



INTERIOR



BATHROOM



GYM



RESIDENTIAL



COMMERCIAL



HOSPITALS



URBAN
CENTERS



#KUCHH
बात ही
अलग है



WHY

2	9mm	15+
Sizes	Thickness	Finishes

INDIVIDUAL PLANT
FOR BOTH SIZE

At, our vision is to be the leading provider of exceptional porcelain tiles, revolutionizing the industry with innovative designs, and unparalleled quality.

We aspire to transform spaces into breathtaking works of art elevating the aesthetic appeal & functionality of every environment.

THE SOFT TOUCH FOR EVERY SPACE

Our Babycon tiles offer a sophisticated, finish with a non-reflective surface that adds a touch of elegance to any space. The matte finish is ideal for creating a calming, modern aesthetic. These tiles are versatile and suitable for a wide range of applications, including residential and commercial spaces such as kitchens, bathrooms, and living areas. Their durability and ease of maintenance make them perfect for both flooring and wall installations, providing a sleek, contemporary look that complements various design styles.

SOFT
TOUCH



ALPINO PEARL ST

 **SOFT TOUCH** Finish

 **9MM** Thickness

600X1200MM




Random **9**



600X600MM

 **8.5MM** Thickness

Random **18**





ALPINO PEARL





ARMANI CREMA ST

 **SOFT TOUCH** Finish

 **9MM** Thickness

600X1200MM





Random **4**



600X600MM

 **8.5MM** Thickness

Random **8**





ARMANI CREMA





ATHENA WHITE ST

 **SOFT TOUCH** Finish

 **9MM** Thickness

600X1200MM





Random **4**



600X600MM

 **8.5MM** Thickness

Random **8**





ATHENA WHITE







CARRARA SKY ST

 **SOFT TOUCH** Finish

 **9MM** Thickness

600X1200MM





Random **4**



600X600MM

 **8.5MM** Thickness

Random **8**





CARRARA SKY







CLONE STATUARIO ST

 **SOFT TOUCH** Finish

 **9MM** Thickness

600X1200MM





Random **4**



600X600MM


 **8.5MM** Thickness

Random **8**





CLONE STATUARIO



DUSTY BIANCO ST

 **SOFT TOUCH** Finish

 **9MM** Thickness

600X1200MM

Random **4**



600X600MM

 **8.5MM** Thickness

Random **8**





DUSTY BIANCO



Babycon
SOFT TOUCH
SURFACE




EX-139 BRILLO SATUARIO ST

 **SOFT TOUCH** Finish

 **9MM** Thickness

600X1200MM



Random **4**



600X600MM

 **8.5MM** Thickness

Random **8**





EX-139 BRILLO SATUARIO




EDEN SATUARIO ST

 **SOFT TOUCH** Finish

 **9MM** Thickness

600X1200MM





Random **6**



600X600MM

 **8.5MM** Thickness

Random **12**





EX-174 EDEN SATUARIO





INFINITY STATUARIO ST

 **SOFT TOUCH** Finish

 **9MM** Thickness

600X1200MM





Random **4**



600X600MM

 **8.5MM** Thickness

Random **8**





INFINITY STATUARIO





MELDEY WHITE ST

 **SOFT TOUCH** Finish

 **9MM** Thickness

600X1200MM





Random **5**



600X600MM

 **8.5MM** Thickness

Random **10**





MELDEY WHITE



Babycon
SOFT TOUCH
SURFACE





OIKOS STATUARIO ST

 **SOFT TOUCH** Finish

 **9MM** Thickness

600X1200MM




Random **5**



600X600MM

 **8.5MM** Thickness

Random **10**



CATALOGUE 2024
COLLECTION



OIKOS STATUARIO





ONYX PULS ST

 **SOFT TOUCH** Finish

 **9MM** Thickness

600X1200MM





Random **5**



600X600MM

 **8.5MM** Thickness

Random **10**





ONYX PULS





PEARL STATUARIO ST

 **SOFT TOUCH** Finish

 **9MM** Thickness

600X1200MM


Random **6**



600X600MM


 **8.5MM** Thickness

Random **12**





PEARL STATUARIO




PIEMONTE BIANCO ST

 **SOFT TOUCH** Finish

 **9MM** Thickness

600X1200MM


Random **4**



600X600MM

 **8.5MM** Thickness

Random **8**





PIEMONTE BIANCO



Babycon
SOFT TOUCH
SURFACE

REGAL STATUARIO ST

 **SOFT TOUCH** Finish

 **9MM** Thickness

600X1200MM



Random **4**



600X600MM


 **8.5MM** Thickness

Random **8**





REGAL STATUARIO



ROCCIA LUPO ST

 **SOFT TOUCH** Finish

 **9MM** Thickness

600X1200MM

Random **6**



600X600MM

 **8.5MM** Thickness

Random **12**





ROCCIA LUPO







VARTINO CREMA ST

 **SOFT TOUCH** Finish

 **9MM** Thickness

600X1200MM





Random **4**



600X600MM

 **8.5MM** Thickness

Random **8**





VARTINO CREMA







VOLTERRA STATUARIO ST

 **SOFT TOUCH** Finish

 **9MM** Thickness

600X1200MM





Random **4**



600X600MM

 **8.5MM** Thickness

Random **8**





VOLTERRA STATUARIO

SRNO.	CHARACTERISTICS	ISO TEST METHODS	TILES REQUIREMENT AS PER ISO 13006 : 2012 GROUP B LLB	VALUE
-------	-----------------	------------------	--	-------

DIMENSION & SURFACE QUALITY

1	Deviation in length & Width	ISO 10545-2	+/-0.5%	+/-0.2%
2	Deviation in Thickness	ISO 10545-2	+/-5%	+/-3%
3	Straightness Of sides	ISO 10545-2	+/-0.5%	+/-0.2%
4	Rectangularity	ISO 10545-2	+/-0.5%	+/-0.2%
5	Surface Flatness	ISO 10545-2	+/-0.5%	+/-0.2%

PHYSICAL & THERMAL PROPERTIES

1	Water Absorption	ISO 10545-3	<0.50%	< 0.04%
2	Mohs Hardness	EN-101	Min.5	Min.5
3	Flexural Strength	ISO 10545-4	>35N/mm2	>40N/mm2
4	Skid Resistance	ISO 10545-17	>0.4	>0.4
5	Breaking Strength	ISO 10545-11	>1113N	>1800N
6	Frost Resistance	ISO 10545-12	Frost Proof	Frost Proof
7	Thermal Shock Resistance	ISO 10545-9	No Damage	No Damage
8	Moisture Expansion	ISO 10545-10	Nil	Nil
9	Resistance to surface Abrasion	ISO 10545-7	Abrasion class shall be specified by the manufacturer	PEI IV

CHEMICAL PROPERTIES

1	Chemicals Resistance	ISO 10545-13	No Damage	No Damage
2	Color Resistance	ISO 10545-16	No Damage	No Damage
3	Stain Resistance	ISO 10545-14	Resistant	Resistant

PACKAGING DETAIL

SIZE	PCS./BOX	SQM./BOX	APPROX WEIGHT/BOX	THICKNESS
600X1200MM	2	1.44	29 KG.	9MM
600X600MM	4	1.44	27.5 KG.	8.5MM