UNLEASH YOUR **VISION,**

DESIGN YOUR WORLD

DOUBLE CHARGE
GLOSSY
COLLECTION 600x1200mm



COLLECTIONS TO SATISFY ALL YOUR NEEDS















600x1200mm

Immerse your space in the modern allure of a **GLOSSY** finish.

Meticulously crafted for a contemporary aesthetic, these tiles redefine elegance with their reflective charm.

SIZE & THICKNESS



Dimensions

9MM | 600x1200mm | 60x120cm 8.5 MM | 600x600mm | 60x60cm



FEATURES 8 ADVANTAGES





Strength



Hygienic Surface



Resistant To Ice & Frost



Color Stability



Dimensional Stability



Repellen Surface



Fire & High Temperature Resistant



Resistan To Stains

AMBAS BROWN








AMBAS CREMA

600x1200mm | 9mm Thickness | 1 600x600mm | 8.5mm Thickness |





AMBAS GREY





AMBAS WHITE

600x1200mm 600x600mm 9mm Thickness

l Face 2 Face

II IIIICKIIe:







APEX BLUE

600x1200mm 600x600mm

9mm Thickness

Face








APEX BROWN

600x1200mm

9mm Thickness

l Face





ASTER BEIGE

DOUBLE CHARGE

600x1200mm | 9mm Thickness | 1 Face 600x600mm | 8.5mm Thickness | 2 Face







ASTER BLUE










ASTER CREMA

600x600m

9mm Thickness

1 Face









ASTER GREY

600x1200mm 600x600mm 9mm Thickness


1 Face





ASTER WHITE





DAZZEL BROWN

600x1200mm | 9mm Thickness | 1 Fc 600x600mm | 8.5mm Thickness | 2






DAZZEL CREMA

500x1200mm | 9mm Thickness | 1 Face 500x600mm | 8.5mm Thickness | 2 Fac





DAZZEL GREEN





DAZZEL GRIS

600x1200111111

9mm Thickness

1 Face 2 Face








DAZZEL NERO

600x1200mm 600x600mm

9mm Thickness

l Face 2 Face





DAZZEL ROSATA

00x1200mm | 9mm Thickness | 1 | 00x600mm | 8.5mm Thickness |

1 Face






DAZZEL WHITE

600x1200mm 600x600mm

9mm Thickness

1 Face 2 Face






DELTA BROWN

600x1200mm 600x600mm 9mm Thickness

1 Face 2 Face






DELTA GREY

600x600mm

9mm Thickness

Face 2 Face






DONNA BROWN

600x1200mm 600x600mm 9mm Inickness

Face








DONNA CREMA

600x1200mm 600x600mm 9mm Inickness 85mm Thicknes race 2 Face








DONNA GREY





DONNA WHITE





ERRA BLUE

600x

9mm Thickness

1 Face







ERRA BROWN





ERRA NERO

600x1200mm 600x600mm 9mm Thickness

Pace 2 Face





MARVEL BEIGE

500x1200mm | 9mm Thickness | 1 Face 500x600mm | 8.5mm Thickness | 2 Face






MARVEL BROWN

600x120011111 600x600mm 9mm Thickness

1 Face 2 Face





MARVEL CREMA

600x1200mm

9mm Thickness

l Face





MARVEL GRIS

600x600mi

9mm Thickness

l Face 2 Face

DOUBLE





MARVEL NERO

600x1200mm 600x600mm

9mm Thickness

1 Face






MARVEL WHITE

600x600m

9mm Thickness

2 Face





MOCA BROWN

600x1200mm

9mm Thickness

Face








OSKINO BEIGE

600x600mm | 8.5mm T

mm Thickness | 11

2 Face







OSKINO BROWN

600x1200mm

9mm Inickness 85mm Thickness Face 2 Face









OSKINO CREMA

600x600mm

9mm Thickness

2 Face





OSKINO GRIS


600x1200mm | 600x600mm |

9mm Inickness

1 Face 2 Face

2 Face






OSKINO WHITE

600x1200mm | 9mm Thickness | 1 Face 600x600mm | 8.5mm Thickness | 2 Face






PESTA BLUE







PESTA BROWN






PESTA CREMA

600x600mm

9mm Thickness

1 Face





PESTA GRIS

600x600m

9mm Thickness

l Face





PESTA VARDE

600x600n

9mm Thickness

1 Face





PESTA WHITE





SATA STONE BROWN

600x1200mm | 600x600mm |

9mm Thickness

race 2 Face








SATA STONE NATURAL

600x1200mm | 9r 600x600mm | 8.

9mm Thickness

2 Face





SICILIA BLACK

600x1200mm

9mm Thickness

Pace 2 Face





SICILIA BROWN

600x1200mm

9mm Inickness 85mm Thickness l Face 2 Face





SICILIA CREMA

600x1200mm

9mm Thickness

l Face






SICILIA WHITE





UNITE BIANCO








UNITE BROWN

600x1200mm | 9mm° 600x600mm | 8.5mn

85mm Thickness

2 Face








UNITE CREMA

600x1200mm | 600x600mm |

8.5mm Thickness

2 Face







UNITE GRIS

BLF

600x1200mm | 9mm Thickness | 1 Face 600x600mm | 8.5mm Thickness | 2 Face




UNITE GRIS




UNITE NERO

UBLE

600x1200mm | 9mm Thickness | 1 Face 600x600mm | 8.5mm Thickness | 2 Face





UNIVERSE BLUE

600x1200mm

9mm Thickness

Face 2 Face







UNIVERSE BROWN

600x1200mm

9mm Thickness

tace 2 Face





UNIVERSE WHITE

600x1200mm

9mm Thickness

l Face 2 Face





Technical Detail

SRNO.	CHARACTERISTICS	ISO TEST METHODS	TILES REQUIREMENT AS PER ISO 13006 : 2012 GROUP B LLB	SISCON VALUE
-------	-----------------	------------------	---	--------------

DIMENSION & SURFACE QUALITY

1	Deviation in length & Width	ISO 10545-2	+/-0.5%	+/-0.2%
	Deviation in Thickness ISO 10545-2		+/-5%	+/-3%
	Straightness Of sides ISO 10545-2			+/-0.2%
4	Rectangularity	ISO 10545-2	+/-0.5%	+/-0.2%
5	Surface Flatness	ISO 10545-2	+/-0.5%	+/-0.2%

PHYSICAL & THERMAL PROPERTIES

	Water Absorption	ISO 10545-3	<0.50%		
	Mohs Hardness	EN-101	Min.5	Min.5	
	Flexural Strength	ISO 10545-4			
	Skid Resistance	ISO 10545-17	>0.4	>0.4	
5			>1113N	>1800N	
	Frost Resistance ISO 10545-12		Frost Proof		
			No Damage		
	Moisture Expansion	ISO 10545-10			
	Resistance to surface Abrasion	ISO 10545-7			

CHEMICAL PROPERTIES

	ISO 10545-13	

PACKAGING DETAIL

SIZE	PCS./BOX	SQM./BOX	APPROX WEIGHT/BOX	THICKNESS
				9мм
				8.5ММ