




#### TIMELESS GOLD, ENDLESS BRILLIANCE

Introducing the Harmony Collection, a luxurious series of glossy tiles adorned with exquisite gold designs and diverse patterns. Each tile in this collection radiates elegance and sophistication, perfect for adding a touch of opulence to any space. Experience the perfect blend of style and shine with the Harmony Collection, where every tile is a masterpiece.






#### TAILORED LUXURY FOR EVERY SPACE

The Harmony Collection offers two exquisite tile sizes:  $600 \times 1200 \text{ mm}$  with a 9 mm thickness and  $600 \times 600 \text{ mm}$  with an 8.5 mm thickness. The larger  $600 \times 1200 \text{ mm}$  tiles create a luxurious, seamless look with fewer grout lines, ideal for high-traffic areas. Meanwhile, the  $600 \times 600 \text{ mm}$  tiles provide flexibility and are perfect for smaller spaces like kitchens and bathrooms. Both sizes enhance the aesthetic appeal of any space while ensuring durability and practicality.





# GOLD-INFUSED GLAMOUR, BUILT FOR TOUGHNESS

Designed to meet diverse needs, these tiles offer remarkable features including temperature resistance, chemical resistance, UV resistance, and hypoallergenic properties. They come in various sizes to suit different applications and are built to withstand extreme conditions with fire resistance, freeze resistance, and the ability to absorb colors. These versatile tiles not only enhance the aesthetic appeal of your space but also ensure durability and practicality in various environments.



Absorb Off Odours



Temperature Resistance



Chemical Resistance



uv Resistance



Highly Compact Material



Heating Sun Resistance



Hypoallergenic



Various Sizes



Pure Hygiene Surface




Fire Resistance



Scratch Resistance



Freeze Resistance





**KITCHENS** 

















COMMERCIAL

**HOSPITALS** 



### WHY US?

2

9mm

15+

Sizes

Thickness

Finishes

**INDIVIDUAL PLANT**FOR BOTH SIZE

our vision is to be the leading provider of exceptional porcelain tiles, revolutionizing the industry with innovative designs, and unparalleled quality.

We aspire to transform spaces into breathtaking works of art elevating the aesthetic appeal & functionality of every environment.





## WHEN NATURE MEETS ART, BEAUTY IS BORN

Discover the exquisite detail of our tiles, Showcasing their stunning gold patterns and glossy finish. The luxurious gold patterns shimmer against the glossy surface, creating a refined and opulent look that transforms any space. Perfect for adding a touch of sophistication and grandeur to your interiors, these tiles offer both beauty and durability in every detail.











#### ALEX **END**

GLOSSY Finish

₹ 9MM Thickess -

#### 600X1200MM












600X600MM

\* 8.5MM Thickess

Random 8



















#### **ASTORIA**

GLOSSY Finish

₹ 9MM Thickess —

600X1200MM







600X600MM

Random 6




















#### ATTICA GOLD

GLOSSY Finish

▼ 9MM Thickess -

#### 600X1200MM











600X600MM

\* 8.5MM Thickess




















#### CARLON GOLD

GLOSSY Finish

₹ 9MM Thickess -

#### 600X1200MM












600X600MM

\* 8.5MM Thickess

Random 6




















#### FAB **CLOUD**

GLOSSY Finish

₹ 9MM Thickess -

#### 600X1200MM











600X600MM

\* 8.5MM Thickess

Random 8




















#### FOX WHITE

GLOSSY Finish

₹ 9MM Thickess -

#### 600X1200MM











Random 3

600X600MM

Random 6



















#### GRAZIA AQUA

GLOSSY Finish

₹ 9MM Thickess -

600X1200MM












600X600MM

Random 8




















#### ICONICA END

GLOSSY Finish

₹ 9MM Thickess -

#### 600X1200MM











600X600MM

\* 8.5MM Thickess




















#### INVISIBLE **END**

GLOSSY Finish

₹ 9MM Thickess -

#### 600X1200MM

Random 2



600X600MM

\* 8.5MM Thickess




















#### **ISLAND**

GLOSSY Finish

Thickess -

#### 600X1200MM









Random 8

600X600MM

Random **16** 




















#### **LIBRA**

GLOSSY Finish

Thickess -

#### 600X1200MM











600X600MM

Random 6




















#### LIZON END

GLOSSY Finish

₹ 9MM Thickess -


#### 600X1200MM

Random 4









600X600MM

\* 8.5MM Thickess




















#### **NAIROBI**

GLOSSY Finish

**9MM** Thickess

600X1200MM












600X600MM

Random 8





















#### OKEN GOLD

GLOSSY Finish

₹ 9MM Thickess -


#### 600X1200MM












600X600MM


\* 8.5MM Thickess

Random 6




















#### OKEN BR

GLOSSY Finish

9MM Thickess

#### 600X1200MM










Random 3

600X600MM

Random 6



















## ONYX PRISEM

GLOSSY Finish

▼ 9MM Thickess -

#### 600X1200MM











600X600MM

\* 8.5MM Thickess

Random 6




















## RIO

GLOSSY Finish

₹ 9MM Thickess -

#### 600X1200MM

Random **3** 










600X600MM

Random 6




















## SCAMBIO GOLD

GLOSSY Finish

**9MM** Thickess

#### 600X1200MM

Random **3** 









600X600MM

\* 8.5MM Thickess





















#### SENSO WHITE END

**GLOSSY** Finish

₹ 9MM Thickess -

#### 600X1200MM

Random 2







600X600MM

\* 8.5MM Thickess




















## SOFITA BR

GLOSSY Finish

₹ 9MM Thickess -

#### 600X1200MM









Random 4

600X600MM

\* 8.5MM Thickess




















## SOFITA GOLD

GLOSSY Finish

₹ 9MM Thickess -

#### 600X1200MM











600X600MM

Random 8





















## TEEK **BR**

GLOSSY Finish

₹ 9MM Thickess −

#### 600X1200MM











600X600MM

Random 8




















## **TEMPEST**

GLOSSY Finish

₹ 9MM Thickess -

#### 600X1200MM













600X600MM

Random 6




















## **VELEN GOLD**

GLOSSY Finish

₹ 9MM Thickess -

#### 600X1200MM









600X600MM

Random 6




















## **VOLKAS**

GLOSSY Finish

₹ 9MM Thickess -

600X1200MM











600X600MM

Random 6











## Technical Detail

| SRNO.                         | CHARACTERISTICS                | ISO TEST METHODS    | TILES REQUIREMENT AS PER ISO 13006 : 2012 GROUP B LLB | VALUE       |  |  |  |
|-------------------------------|--------------------------------|---------------------|---|-------------|--|--|--|
| DIMENSION & SURFACE QUALITY   |                                |                     |   |             |  |  |  |
| 1                             | Deviation in<br>length & Width | ISO 10545-2         | +/-0.5%   | +/-0.2%     |  |  |  |
| 2                             | Deviation in<br>Thickness      | ISO 10545-2         | +/-5%   | +/-3%       |  |  |  |
| 3                             | Straightness<br>Of sides       | ISO 10545-2         | +/-0.5%   | +/-0.2%     |  |  |  |
| 4                             | Rectangularity                 | ISO 10545-2 +/-0.5% |   | +/-0.2%     |  |  |  |
| 5                             | Surface Flatness               | ISO 10545-2         | +/-0.5%   | +/-0.2%     |  |  |  |
| PHYSICAL & THERMAL PROPERTIES |                                |                     |   |             |  |  |  |
| 1                             | Water Absorption               | ISO 10545-3         | <0.50%  | < 0.04%     |  |  |  |
| 2                             | Mohs Hardness                  | EN-101              | Min.5   | Min.5       |  |  |  |
| 3                             | Flexural Strength              | ISO 10545-4         | >35N/mm2  | >40N/mm2    |  |  |  |
| 4                             | Skid Resistance                | ISO 10545-17        | >0.4  | >0.4        |  |  |  |
| 5                             | Breaking Strength              | ISO 10545-11        | >1113N  | >1800N      |  |  |  |
| 6                             | Frost Resistance               | ISO 10545-12        | Frost Proof   | Frost Proof |  |  |  |
| 7                             | Thermal Shock<br>Resistance    | ISO 10545-9         | No Damage   | No Damage   |  |  |  |
| 8                             | Moisture Expansion             | ISO 10545-10        | Nil   | Nil         |  |  |  |
| 9                             | Resistance to surface Abrasion | ISO 10545-7         | Abrasion class shall be specified by the manufacturer | PEI IV      |  |  |  |
| CHEMICAL PROPERTIES           |                                |                     |   |             |  |  |  |
| 1                             | Chemicals Resistance           | ISO 10545-13        | No Damage   | No Damage   |  |  |  |
| 2                             | Color Resistance               | ISO 10545-16        | No Damage   | No Damage   |  |  |  |
| 3                             | Stain Resistance               | ISO 10545-14        | Resistant   | Resistant   |  |  |  |

#### PACKAGING DETAIL

| SIZE       | PCS./BOX | SQM./BOX | APPROX WEIGHT/BOX | THICKNESS |
|------------|----------|----------|-------------------|-----------|
| 600X1200MM | 2        | 1.44     | 29 KG.            | 9мм       |
| 600X600MM  | 4        | 1.44     | 27.5 KG.          | 8.5MM     |

# Thank You