Porce our Con

ELEVATE YOUR SPACE WITH PREMIUM TILES

## SURFACE EXCELLENCE SINGF **2011**

Our experience shines in every design

For nearly three decades, we've been leading the way in tile innovation and quality. Since 1995, our dedication to crafting beautiful, durable surfaces has set us apart, ensuring each tile meets the highest standards of both function and style.

Our experience shines through in every design, blending timeless elegance with modern technology. Whether renovating a home or outfitting a commercial space, trust our expertise to deliver tiles that transform and endure.

Experience Excellence with Every Tile. Discover unmatched quality and style that elevate any space, blending beauty and durability effortlessly.

## DISCOVERTHEILITIMATE PROPERTIES & CHARACTERISTICS OF SUPERIOR TILES





₩ UV resistant



Resistant to stains



Recyclable



resistance



Waterproof



Resistance to high temperatures



Easy to clean



Resistant to chemical attack



Lightness



Unmatched Durability with Minimal Thickness, siscon tiles offers superior strenath through its high -density sintered mass. with guaranteed longevity



Choose from our variety of tile sizes to fit any project. From large, seamless floor tiles to intricate patterns with smaller pieces, our selection adapts to your vision and space.





Variety matters, and Our Super Size Collection offers a vast array of designs to suit every style. Each series features unique graphics for in a wide range of shades



# EXCLUSIVITY

We sets the trend with its exclusive, avent -garde design. It brings modern elegance to any contemporary style with timeless appeal



handling and installation

effortless. This quality

ensures a flawless finish,

meeting the highest

standards for even the most

demanding projects.


MNOVATION

reflects our relentless pursuit of technological the latest advancements we deliver a product with exceptional qualities


TILESTHAT TURN DESIGNINTO ART SMOOTH SURFACE

EVOKE
THE ELEGANCE
OF SOFT CARVINGS.

The Porcecon surface is a masterpiece of design, meticulously crafted with micro-details that evoke the elegance of soft carvings. Each subtle groove and intricate pattern contributes to a refined texture that feels as luxurious as it looks. The delicate craftsmanship gives the surface a unique character, enhancing its aesthetic appeal and making it a captivating addition to any space. The soft carving effect not only adds depth and dimension but also brings a sense of warmth and sophistication, creating a look that is both timeless and adorable. Whether in a modern or classic setting, the Porcecon surface stands out as a beautiful blend of art and function, turning any space into a work of art.



# Porce sura Con



Digital Matte Surface Tiles offer a distinct level of homogeneity compared to traditional matte finishes. Featuring minimal shine and brighter tones, these tiles deliver a natural and consistent appearance. Advanced digital printing technology guarantees uniformity and durability preserving their look even after years of use. This makes them an excellent choice for creating unique and enduring spaces.

Our Porcecon surface tiles undergo rigorous testing: they achieve Class A in acid/alkali resistance, a Mohr's hardness of 5, pass stain resistance tests, and have a PEI rating of 2.





## ELEVATE YOUR STANDARDS WITH INDEX










GOTO INDEX











### PORC 01 LIGHT

Elevate Your space with Every Tile. Random - 4










Crema



## GOTO INDEX







### PORC 02 WHITE

Tiles That Inspire, Designs That Last.

Random - 5









## GO TO INDEX











### PORC 03 WHITE

Timeless Elegance for Every Space. Random – 4 Finish – Carving







Crema

Beige

Tan





Camel



R-1



### PORC 04 BROWN



GREY













### PORC 05 ASH












### GOTO INDEX





## PORC 06 WHITE

Tiles That Define Your Space.

Random - 4 Finish - Carving



R-4










Gris Natural





### PORC 07 BROWN



GREY

Your Perfect Space Starts with Our Tiles.




























GOTO INDEX











Unmatched Quality, Unbelievable Style. Random - 4







## GO TO INDEX











R-4

### PORC 10 CREMA

Unforgettable Floors Start Here.

Random - 4 Finish - Carving







Light Ash





## GO TO INDEX



### PORC 11 LIGHT

The Perfect Tile for Every Style.

Random - 4 Finish - Carving












Crema Brown







GOTO INDEX











### PORC 12 NATURAL

Artfully Crafted Tiles for Modern Living. Random – 4 Finish – Carving

R-4





### GOTO INDEX











#### PORC 13 LIGHT

Your Space, Our Tile, Perfect Harmony. Random - 4 Finish - Carving







Crema Rosata






### GOTO INDEX











### PORC 14 WHITE

Transform Your Vision into Reality.

Random - 4 Finish - Carving





Crema Brown







### PORC 15 BROWN





Random - 4











GOTO INDEX











### PORC 16 LIGHT

Tiles That Bring Interior Elegance to Life. Random – 4

Finish - Carving

R-4



Crema Brown





Natural Green






### GOTO INDEX











#### PORC 17 ROSE

Interior Perfection Starts with Our Tiles.

Random - 3 Finish - Carving

R-4







Sand Natural 0





### PORC 18 BROWN











GOTO INDEX











Creating Interior Harmony with Every Tile. Random – 2

Finish - Carving







Green Natural





GOTO INDEX












### PORC 20 NERO

Tiles That Transform Interiors into Masterpieces. Random - 4

Finish - Carving





### PORC 21 WHITE







#### TECHNICAL SPECIFICATION

SRNO.	CHARACTERISTICS	ISO TEST METHODS	TILES REQUIREMENT AS PER ISO 13006 : 2012 GROUP B LLB	VALUE					
DIMENSION & SURFACE QUALITY									
1	Deviation in length & Width	ISO 10545-2	+/-0.5%	+/-0.2%					
2	Deviation in Thickness	ISO 10545-2	+/-5%	+/-3%					
3	Straightness Of sides	ISO 10545-2	+/-0.5%	+/-0.2%					
4	Rectangularity	ISO 10545-2	+/-0.5%	+/-0.2%					
5	Surface Flatness	ISO 10545-2	+/-0.5%	+/-0.2%					
PHYSICAL & THERMAL PROPERTIES									
1	Water Absorption	ISO 10545-3	<0.50%	< 0.04%					
2	Mohs Hardness	EN-101	Min.5	Min.5					
3	Flexural Strength	ISO 10545-4	>35N/mm2	>40N/mm2					
4	Skid Resistance	ISO 10545-17	>0.4	>0.4					
5	Breaking Strength	ISO 10545-11	>1113N	>1800N					
6	Frost Resistance	ISO 10545-12	Frost Proof	Frost Proof					
7	Thermal Shock Resistance	ISO 10545-9	No Damage	No Damage					
8	Moisture Expansion	ISO 10545-10	Nil	Nil					
9	Resistance to surface Abrasion	ISO 10545-7	Abrasion class shall be specified by the manufacturer	PELIV					
CHEMICAL PROPERTIES									
1	Chemicals Resistance	ISO 10545-13	No Damage	No Damage					
2	Color Resistance	ISO 10545-16	No Damage	No Damage					
3	Stain Resistance	ISO 10545-14	Resistant	Resistant					

#### PACKAGING DETAIL

SIZE	PCS./BOX	SQM./BOX	APPROX WEIGHT/BOX	THICKNESS
600X1200MM	2	1.44	29 KG.	9MM

