UNLEASH YOUR **VISION**, DESIGN YOUR WORLD RAINBOW GLOSSY
COLLECTION 600x1200mm



#### COLLECTIONS TO SATISFY ALL YOUR NEEDS















600v1200mm

Immerse your space in the modern allure of a GLOSSY finish.

Meticulously crafted for a contemporary aesthetic, these tiles redefine elegance with their reflective charm.

## SIZE & THICKNESS



#### **Dimensions**

9MM | 600x1200mm | 60x120cn 8.5 MM | 600x600mm | 60x60cm



## FEATURES & ADVANTAGES





Bending Strength



Hygienic Surface



Resistant To Ice & Frost



**Color** Stability



Dimensional Stability



Repellent Surface



Fire & High Temperature



## BAHIA AQUA

600x1200mm

9mm Thickness

Face 6 Face








#### COSMIC GREEN

Finish

RAINBOW

600x1200mm | 9mm Thickness | 4 Face





#### COSMIC YELLOW

600x1200mm

9mm Thickness 85mm Thicknes

+ FUCE - 8 Face







#### CRYSTALLINE

Finish

RAINBOW

600x1200mm | 9mm Thickness | 4 Face





#### ELITE ONYX SKY

Finish

RAINBOW

600x1200mm | 9mm Thickness | 5 Face






#### FOG STATUARIO

Finish

RAINBOW

600x1200mm | 9mm Thickness | 4 Face





### LABRADORITE AQUA

Finish

RAINBOW

600x1200mm | 9mm Thickness | 3 Face





### MARSAL ONYX AQUA

Finish

RAINBOW

600x1200mm | 9mm Thickness | 4 Face





### MIJARES STATUARIO BLUE

Finish

RAINBOW

600x1200mm | 9mm Thickness | 4 Face





### MIJARES STATUARIO YELLOW

Finish

RAINBOW

600x1200mm | 9mm Thickness | 4 Face






### NEO STATUARIO

Finish

RAINBOW

600x1200mm | 9mm Thickness | 4 Face





#### NORVEX ONYX BLUE

600

9mm Thickness







## ONYX AQUA

Finish

RAINBOW

600x1200mm | 9mm Thickness | 4 Face











#### PALERO PISTA

600x1200mm

9mm Thickness







#### **RUST PENTAGONIA AQUA END**

600x1200mm 600x600mm 9mm Thickness 8.5mm Thickness







#### SUPREME ONYX GREEN

600x1200mm

9mm Inickness 85mm Thicknes








### TALC STATUARIO AQUA

Finish

RAINBOW

600x1200mm | 9mm Thickness | 4 Face






#### URI STATUARIO

Finish

RAINBOW

600x1200mm | 9mm Thickness | 4 Face





# Technical Detail

#### DIMENSION & SURFACE QUALITY

1	Deviation in length & Width	ISO 10545-2	+/-0.5%	+/-0.2%
	Deviation in Thickness	ISO 10545-2	+/-5%	+/-3%
3	Straightness Of sides	ISO 10545-2	+/-0.5%	+/-0.2%
4	Rectangularity	ISO 10545-2	+/-0.5%	+/-0.2%
5	Surface Flatness	ISO 10545-2	+/-0.5%	+/-0.2%

#### PHYSICAL & THERMAL PROPERTIES

	Water Absorption	ISO 10545-3	<0.50%	
			Min.5	Min.5
	Flexural Strength	ISO 10545-4		
	Skid Resistance	ISO 10545-17	>0.4	>0.4
5	Breaking Strength	ISO 10545-11	>1113N	>1800N
	Frost Resistance	ISO 10545-12	Frost Proof	
	Thermal Shock Resistance	ISO 10545-9	No Damage	
	Moisture Expansion	ISO 10545-10		
	Resistance to surface Abrasion	ISO 10545-7		

#### CHEMICAL PROPERTIES

	No Damage	
	Resistant	

#### PACKAGING DETAIL

SIZE	PCS./BOX	SQM./BOX	APPROX WEIGHT/BOX	THICKNESS
				9мм
				8.5MM